

### Product description:

Battery (-BE) or mains (-M) Gateway Wireless M-BUS with long-range (-LR) capability for indoor (-A1) or outdoor (-A2) usage with optional external antenna (-X), one for Wireless M-BUS and one for cellular network. The device supports either LTE CAT-M1 (-CATM1) or LTE CAT-1 bis/4G (-CAT1/4G).

The devices support an optional module for Wired M-BUS (-MA\_NBR), where \_NBR is number of supported Wired M-BUS devices.

### Order code:

LAN-WMBUS-GW5-M-LR-A1/A2-(X)-CATM1-(X)-MA\_NBR LAN-WMBUS-GW5-M-LR-A1/A2-(X)-CAT1/4G-(X)-MA\_NBR LAN-WMBUS-GW5-BE-LR-A1/A2-(X)-CATM1-(X)-MA\_NBR LAN-WMBUS-GW5-BE-LR-A1/A2-(X)-CAT1/4G-(X)-MA\_NBR

This declaration of conformity is issued under the sole responsibility of the manufacturer. We certify that the apparatus detailed above is in conformity with following directives:

- Radio Equipment Directive (RED) 2014/53/EU
- RoHS Directive 2011/65/EU (EU) 2015/863

by application of the following harmonised standards:

#### EN 300 220-1 V3.1.1 (2017-02)

Short Range Devices (SRD) operating in the frequency range 25 MHz to 1000 MHz; Part 1: Technical characteristics and methods of measurement.

### EN 300 220-2 V3.1.1 (2017-02)

Short Range Devices (SRD) operating in the frequency range 25 MHz to 1000 MHz; Part 2: Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU for non-specific radio equipment.

### EN 301 489-1 V2.2.3 (2019-11)

ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility.

## EN 301 489-3 V2.3.2 (2023-01)

ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU.

# EN 61000-6-1 (2019)

Electromagnetic compatibility (EMC) - Part 6-1: Generic standards - Immunity standard for residential, commercial and light-industrial environments.

### EN 61000-6-3 (2007) / A1:2011

Electromagnetic compatibility (EMC). Generic standards. Emission standard for residential, commercial and light-industrial environments.

# EN 61000-4-2 (2009)

Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test.

# EN 61000-4-3 (2006), /A1:2008, /A2:2010

Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement - Radiated, radio-frequency, electromagnetic field immunity test.

# EN 61000-4-4 (2012)

Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test.

# EN 61000-4-5 (2014)

Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test.

# EN 61000-4-6 (2014)

Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields.

### EN 61000-4-11 (2004)

Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests.

# EN 62368-1:2020

Audio/video, information and communication technology equipment - Part 1: Safety requirements.

## EN 63000:2018

Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substance.



Third-Party Test House

RISE Research Institute of Sweden AB.

Identification number 1002

Certificate registration number: 9P08482-E2, 2P00980-E4, P122982-E1, P122982-R1

Lansen Systems AB

Martin Stanic, product manager

Date of Issue: 27.09.2024

Lansen Systems AB Rörkullsvägen 7

SE - 30241 HALMSTAD

Tel: +46 35 50 520 support@lansen.se www.lansen.io VAT: SE556901401101



Third-Party Test House

RISE Research Institute of Sweden AB.

Identification number 1002

Certificate registration number: 9P08482-E2, 2P00980-E4, P122982-E1, P122982-R1

Lansen Systems AB

Martin Stanic, product manager

Date of Issue: 27.09.2024

Lansen Systems AB Rörkullsvägen 7

SE – 30241 HALMSTAD

Tel: +46 35 50 520 support@lansen.se www.lansen.io VAT: SE556901401101



### Product description:

Battery (-BE) or mains (-M) Gateway Wireless M-BUS with long-range (-LR) capability for indoor (-A1) or outdoor (-A2) usage with optional external antenna (-X), one for Wireless M-BUS and one for cellular network. The device supports either LTE CAT-M1 (-CATM1) or LTE CAT-1 bis/4G (-CAT1/4G).

The devices support an optional module for Wired M-BUS (-MA NBR), where NBR is number of supported Wired M-BUS devices.

### Order code:

LAN-WMBUS-GW5-M-LR-A1/A2-(X)-CATM1-(X)-MA\_NBR LAN-WMBUS-GW5-M-LR-A1/A2-(X)-CAT1/4G-(X)-MA\_NBR LAN-WMBUS-GW5-BE-LR-A1/A2-(X)-CATM1-(X)-MA\_NBR LAN-WMBUS-GW5-BE-LR-A1/A2-(X)-CAT1/4G-(X)-MA\_NBR

This declaration of conformity is issued under the sole responsibility of the manufacturer. We certify that the apparatus detailed above is in conformity with following directives:

- Radio Equipment Directive (RED) 2014/53/EU
- RoHS Directive 2011/65/EU (EU) 2015/863

by application of the following harmonised standards:

### EN 300 220-1 V3.1.1 (2017-02)

Short Range Devices (SRD) operating in the frequency range 25 MHz to 1000 MHz; Part 1: Technical characteristics and methods of measurement.

### EN 300 220-2 V3.1.1 (2017-02)

Short Range Devices (SRD) operating in the frequency range 25 MHz to 1000 MHz; Part 2: Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU for non-specific radio equipment.

#### EN 301 489-1 V2.2.3 (2019-11)

ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility.

## EN 301 489-3 V2.3.2 (2023-01)

ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU.

# EN 61000-6-1 (2019)

Electromagnetic compatibility (EMC) - Part 6-1: Generic standards - Immunity standard for residential, commercial and light-industrial environments.

### EN 61000-6-3 (2007) / A1:2011

Electromagnetic compatibility (EMC). Generic standards. Emission standard for residential, commercial and light-industrial environments.

# EN 61000-4-2 (2009)

Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test.

# EN 61000-4-3 (2006), /A1:2008, /A2:2010

Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement - Radiated, radio-frequency, electromagnetic field immunity test.

# EN 61000-4-4 (2012)

Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test.

# EN 61000-4-5 (2014)

Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test.

# EN 61000-4-6 (2014)

Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields.

# EN 61000-4-11 (2004)

Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests.

### EN 62368-1:2020

Audio/video, information and communication technology equipment - Part 1: Safety requirements.

### EN 63000:2018

Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substance.